

NAME

apv1v — PDF/DJVU/EPUB/HTML/TXT viewer with vim-like behaviour

SYNOPSIS

apv1v [*options*] [*file*]

DESCRIPTION

apv1v is a PDF/DJVU/EPUB/HTML/TXT viewer, which behaves like vim.

OPTIONS

-c *file*

Load configuration from *file* instead of the default `~/.apv1vrc`

-h

Show help message and exit

-v

Show version and exit

COMMANDS

The following command keys can be used inside apv1v. Some of them may be prefixed by a number (as in pressing "13G"), this is indicated by a *count* in their description. Unless noted otherwise, the default value for the number is 1.

- o Display file chooser to open a PDF/DJVU/EPUB/HTML/TXT file
- O Select a directory to display
- t Display file chooser to open a PDF/DJVU/EPUB/HTML/TXT file in a new tab
- T Select a directory to display in a new tab
- R Reload the current file
- r Rotate the document clockwise by 90 degrees
- G Show page number *count*
- gt Show next tab
- gT Show previous tab
- PageDown, C-f Go forward *count* pages
- PageUp, C-b Go backward *count* pages
- C-d Go forward *count* half pages
- C-u Go backward *count* half pages
- H Scroll to page head
- M Scroll to page middle
- L Scroll to page bottom
- s skip some pages *count*

C-p, Up, k Scroll up *count* units
 C-n, Down, h Scroll down *count* units
 Backspace, Left, h Scroll left *count* units
 Space, Right, l Scroll right *count* units
 / *string* Search forwards for *string*
 ? *string* Search backwards for *string*
 f Toggle between fullscreen and window mode
 zi Zoom in
 zo Zoom out
 zw Zoom to fit window width
 zh Zoom to fit window height
 m *char* Mark the current position to *char*, so that it can be recalled by pressing *char*
 ' *char* Return to the mark position *char*
 '' Return to the last position
 q Close the current window
 ZZ quit the viewer with ZZ, like Vim
 v Select a area
 C-v Select a rectangle area
 y copy the select area text to clipboard
 c toggle content display
 U underline selected text
 A annotate selected text
 C comment selected text

SETTINGS

These can be set in ~/.apv1vrc with "set *setting* [= *value*]".

fullscreen = yes/no
 Enable/Disable fullscreen

width = *int*
 Default window width

height = *int*
 Default window height

`fix_width = int`
fixed width

`fix_height = int`
fixed height

`defaultdir = path`
Default directory for the open dialogue

`zoom = mode`
Set default zoom level

normal The application sets the default zoom value

fitwidth Fit pages to window width

fitheight Fit pages to window height

float 1.0 for 100%, 2.0 for 200%, etc.

`content = yes/no`
Show content view first

`content_follow_mode = mode`
Set default content follow mode

none Not follow any content, just by user press Enter.

page Just follow page of book.

always Always follow any resources.

`continuous = yes/no`
Show PDF/DJVU/EPUB/HTML/TXT pages continuously or not.

`continuouspad = int`
Padding between pages for continuous = yes

`autoscrollpage = yes/no`
Enable/Disable scrolling the pages when hitting a page tail/head

`noinfo = yes/no`
Disable/Enable the usage of ~/.apv1vinfo

`pdfcache = int`
Set pdf cache size

`[no]cache = yes/no`
Disable/Enable cache

`scrollbar = yes/no`
Set show scrollbar or not

`visualmode = yes/no`
Set use visual mode to select and copy text or not

`wrapscan = yes/no`
Set wrapscan to search text or not

`doubleclick = action`
Set default double click action

none Selection nothing
 word Selection a word under the cursor to clipboard
 line Selection a line under the cursor to clipboard
 page Selection a page under the cursor to clipboard
 guioptions = *m/T/mT*
 Weather display menu, toolbar, or menu and toolbar.
 autoreload = *int*
 If auto reload document after some seconds
 inverted = *yes/no*
 If use inverted mode for pdf page
 background = *color*
 Set background color

PROMPT

Like the COMMANDS, but prefixed with a colon:

:h[elp] Display the help document
 :q[uit] Close the current window
 :o[pen] *file*
 Open *file*
 :doc *file*
 Load *file* into the current window
 :TOtext [*file*]
 Translate *file* (or the current page) to a text file
 :pr[int] Print the current document
 :tabnew Create a new tab
 :sp Horizontally split the current window
 :vsp Vertically split the current window
 :fp, :forwardpage [*int*]
 Go forward *int* pages (1 by default)
 :bp, :prewardpage [*int*]
 Go backward *int* pages (1 by default)
 :g, :goto *int*
 Go to page *int*
 :z[oom] *mode*
 Set zoom to *mode* (see "set zoom" in SETTINGS)
 :*int* Go to page *int*
 :content toggle content display

AUTHORS

apv1v was written by Alf <naihe2010@126.com>.

This manual page was originally written by Stefan Ritter <xen0@thehappy.de> for the Debian project (but may be used by others), and was rewritten more beautifully by Daniel Friesel <foobar@derf.homelinux.org>.